

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	78	713/340.ccls.	US-PGPUB	OR	OFF	2006/12/08 18:18
L2	23	714/22.ccls.	US-PGPUB	OR	OFF	2006/12/08 18:18
L3	208	714/47.ccls.	US-PGPUB	OR	OFF	2006/12/08 18:18
L4	111	710/200.ccls.	US-PGPUB	OR	OFF	2006/12/08 18:18
L5	244	detect\$3 with drop with power with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:18
L6	117	detect\$3 with drop with "power supply" with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:19
L7	25718465	@ad<"20040326"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:19
L8	42	detect\$3 with drop with "power supply" with reset\$4 and detect\$3 with control with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:20
L9	946	detect\$3 with change\$1 with control with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:20
L10	29295	mode near5 register\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:21

## EAST Search History

L11	12230	standby near5 signal\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:21
L12	53004	mode near5 controller\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:21
L13	27828	low adj voltage near3 (circuit\$2 detect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:22
L14	108732	power near5 (fail\$3 drop\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:22
L15	296	(1 2 3 4) and 7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:22
L16	62	15 and (5 6 8 9 10 11 12 13 14)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:25
L17	25	16 and reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:28

## EAST Search History

L18	175289	(10 11 12 13 14) and 7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:29
L19	2444	711/154.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:29
L20	1479	711/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:29
L21	1448	711/163.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:29
L22	995	711/156.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:29
L23	171	711/166.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:30
L24	560	(1 2 3 4 19 20 21 22 23) and 7 and (5 6 8 9 10 11 12 13 14) and reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:33

## EAST Search History

L25	2	(1 2 3 4 19 20 21 22 23) and 7 and (5 6 8 9) and (10 12) and (13 14) and reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:34
S1	0	detect\$3 with drop with power with reset\$4 same "on" same "off"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:35
S2	244	detect\$3 with drop with power with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:35
S3	117	detect\$3 with drop with "power supply" with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:50
S4	32418	"711".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:36
S5	25714259	@ad<"20040326"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:36
S6	1	S3 and S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:39

## EAST Search History

S7	106	S3 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:39
S8	42	detect\$3 with drop with "power supply" with reset\$4 and detect\$3 with control with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 16:05
S9	36	S8 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:51
S10	5	detect\$3 with drop with "power supply" with reset\$4 and detect\$3 with (alter\$2 change\$1) with control with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 16:22
S11	944	detect\$3 with change\$1 with control with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:11
S12	9	S11 and S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 16:47
S13	1444	711/163.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 16:47

## EAST Search History

S14	1	S13 and S5 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:11
S15	14797	detect\$3 with control with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:36
S16	12	S5 and S13 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:11
S17	192	S4 and S5 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:40
S18	2438	711/154.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:47
S19	1478	711/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 18:06
S20	990	711/156.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 18:07

## EAST Search History

S21	171	711/166.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 18:07
S22	685	710/200.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 18:11
S23	16	(S4 S13 S18 S19 S20 S21 S22) and S5 and (S1 S2 S3 S8 S10 S11)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 18:43
S24	36	hotaka.in.	US-PGPUB	OR	OFF	2006/11/30 18:43
S25	1	S24 and "detection circuit".clm. and "reset signal".clm.	US-PGPUB	OR	OFF	2006/11/30 18:44
S26	2	S24 and "detection circuit".clm.	US-PGPUB	OR	OFF	2006/11/30 18:52
S27	3	S24 and (detect\$3 same reset\$4).clm.	US-PGPUB	OR	OFF	2006/12/08 18:17
S28	36	hotaka.in.	US-PGPUB	OR	OFF	2006/12/01 11:11
S29	3	S28 and (detect\$3 same reset\$4).clm.	US-PGPUB	OR	OFF	2006/12/01 11:11
S30	2438	711/154.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S31	1478	711/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S32	244	detect\$3 with drop with power with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11

## EAST Search History

S33	117	detect\$3 with drop with "power supply" with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S34	14797	detect\$3 with control with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S35	25714259	@ad<"20040326"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S36	32418	"711".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S37	192	S36 and S35 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S38	0	detect\$3 with drop with power with reset\$4 same "on" same "off"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S39	944	detect\$3 with change\$1 with control with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11



## EAST Search History

S40	42	detect\$3 with drop with "power supply" with reset\$4 and detect\$3 with control with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S41	5	detect\$3 with drop with "power supply" with reset\$4 and detect\$3 with (alter\$2 change\$1) with control with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S42	685	710/200.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S43	171	711/166.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S44	990	711/156.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S45	1444	711/163.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S46	16	(S36 S45 S30 S31 S44 S43 S42) and S35 and (S38 S32 S33 S40 S41 S39)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11

## EAST Search History

S47	1	S45 and S35 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S48	12	S35 and S45 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S49	106	S33 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:37
S50	1	S33 and S36 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S51	36	S40 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S52	9	S39 and S36 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S53	1	S28 and "detection circuit".clm. and "reset signal".clm.	US-PGPUB	OR	OFF	2006/12/01 11:11
S54	2	S28 and "detection circuit".clm.	US-PGPUB	OR	OFF	2006/12/01 11:11

## EAST Search History

S55	15	standby with control with detect\$3 with prohibit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:47
S56	4153	(standby stand-by) with control with detect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:51
S57	25714259	@ad<"20040326"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:48
S58	32418	"711".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:48
S59	22	S56 and S57 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:50
S60	302	(standby stand-by) with control with chang\$2 with detect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:51
S61	2	S57 and S58 and S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:02

## EAST Search History

S62	23	"default state" with controller with reset\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:08
S63	157	(default standby) with control\$3 with reset\$4 with (prohibit\$4 enabl\$3 disabl\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:09
S64	2	S63 and S57 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:03
S65	335	reset\$4 with (default standby) with (mode state) with control\$3 with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:17
S66	4	S65 and S57 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:05
S67	1072	reset\$4 same (default standby) with (mode state) same control\$3 with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:18
S68	28	S67 and S57 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:20

## EAST Search History

S69	3	S67 same chang\$2 and S57 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:20
S70	49	(US-20040193817-\$ or US-20060022707-\$ or US-20010033516-\$ or US-20020111771-\$ or US-20030221049-\$ or US-20040204898-\$ or US-20040242029-\$).did. or (US-5377264-\$ or US-5388096-\$ or US-4788663-\$ or US-5287527-\$ or US-5696645-\$ or US-5999447-\$ or US-6148384-\$ or US-6201762-\$ or US-6683815-\$ or US-7091740-\$ or US-5488494-\$ or US-5793992-\$ or US-6101568-\$ or US-5771242-\$ or US-5796745-\$ or US-6249826-\$ or US-4630085-\$ or US-5231550-\$ or US-5247572-\$ or US-5493284-\$ or US-5666513-\$ or US-5913927-\$ or US-5981340-\$ or US-6208562-\$ or US-6452830-\$ or US-6718274-\$).did. or (US-4894718-\$ or US-5268960-\$ or US-5319771-\$ or US-5469561-\$ or US-5508922-\$ or US-4249213-\$ or US-5426769-\$ or US-5677600-\$ or US-5959886-\$ or US-4298928-\$ or US-4345319-\$ or US-4493058-\$ or US-4498022-\$ or US-4583120-\$ or US-4601034-\$ or US-4802137-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/12/01 16:47
S71	6	S70 and S57 and S58	US-PGPUB; USPAT	OR	OFF	2006/12/01 16:52
S72	1	S70 and (S55 S56 S60 S62 S65 S67)	US-PGPUB; USPAT	OR	OFF	2006/12/01 16:52



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Fri, 8 Dec 2006, 6:41:47 PM EST

Edit an existing query or  
compose a new query in the  
Search Query Display.

## Search Query Display



Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

## Recent Search Queries

- #1      ( ( control signal<in>metadata ) <and> ( detect<in>metadata ) )  
            <and> ( change<in>metadata )
- #2      ( ( control signal<in>metadata ) <and> ( detect<in>metadata ) )  
            <and> ( reset<in>metadata )
- #3      ( ( control<in>metadata ) <and> ( detect<in>metadata ) )<and>  
            (reset<in>metadata )
- #4      ( ( control<in>metadata ) <and> ( change<in>metadata ) )<and>  
            ( standby<in>metadata )
- #5      ( ( control<in>metadata ) <and> ( reset<in>metadata ) )<and>  
            ( standby<in>metadata )
- #6      ( ( mode register<in>metadata ) <and> ( low  
            voltage<in>metadata ) )<and> ( reset<in>metadata )
- #7      ( ( mode<in>metadata ) <and> ( voltage drop<in>metadata ) )  
            <and> ( reset<in>metadata )
- #8      ( ( standby<in>metadata ) <and> ( voltage<in>metadata ) )  
            <and> ( control<in>metadata )
- #9      ( ( standby<in>metadata ) <and> ( voltage<in>metadata ) )  
            <and> ( reset<in>metadata )
- #10     ( ( prevent<in>metadata ) <and> ( voltage<in>metadata ) )  
            <and> ( reset<in>metadata )
- #11     ( ( prevent<in>metadata ) <and> ( voltage<in>metadata ) )  
            <and> ( reset<in>metadata )
- #12     ( ( mode controller<in>metadata ) <and> ( voltage  
            circuit<in>metadata ) )<and> ( reset<in>metadata )
- #13     ( ( mode<in>metadata ) <and> ( voltage<in>metadata ) )<and>  
            ( standby<in>metadata )
- #14     ( ( control signal<in>metadata ) <and>  
            ( standby<in>metadata ) )<and> ( change<in>metadata )
- #15     ( ( control<in>metadata ) <and> ( standby<in>metadata ) )  
            <and> ( change<in>metadata )